

- Tadono T, H Nagai, H Ishida, F Oda, S Naito, K Minakawa, H Iwamoto, 2016. Generation of the 30 M-mesh global digital surface model by ALOS PRISM. ISPRS Ann Photogramm Remote Sens Spatial Inf Sci 41:157-62.
- Takaku J, Tadono T, Tsutsui K, Ichikawa M, 2016. Validation of 'AW3D' global DSM generated from ALOS PRISM. ISPRS Ann Photogramm Remote Sens Spatial Inf Sci 2:25-31.
- Walz Y, Martin Wegmann M, Stefan Dech S, Giovanna Raso G, Jürg Utzinger J, 2015. Risk profiling of schistosomiasis using remote sensing: approaches, challenges and outlook. Parasite Vector 8:163.
- WHA, 1988. WHA41.28 Global eradication of poliomyelitis by the year 2000. World Health Assembly, Geneva, Switzerland. Available from: <http://www.who.int/ihr/polioresolution4128en.pdf>
- WHO, 2003. Guidelines for environmental surveillance of poliovirus circulation. World Health Organization, Geneva, Switzerland. Available from: http://apps.who.int/iris/bitstream/10665/67854/1/WHO_V-B_03.03_eng.pdf
- WHO, 2014. Major decisions for OPV2 withdrawal: report from the polio working group. World Health Organization, Geneva, Switzerland. Available from: http://www.who.int/immunization/sage/meetings/2014/october/2_Figueroa_report_from_SAGE_WG_v7.pdf
- WHO, 2015a. Poliomyelitis. World Health Organization, Geneva, Switzerland. Available from: <http://www.who.int/biologicals/areas/vaccines/poliomyelitis/en/>
- WHO, 2015b. WHO South-East Asia Region certified polio-free. Available from: <http://www.searo.who.int/mediacentre/releases/2014/pr1569/en/>
- WorldPop, 2016. Available from: <http://www.worldpop.org.uk/>

Non commercial use only